International Journal of Emerging Trends in Engineering and Management Research (IJETEMR)

|ISSN: 2455-7773 | www.ijetemr.com| A Double-Blind Peer-Reviewed and Bimonthly Scholarly Journal|

|Volume 9, Issue 5, September-October 2024|

DOI:10.15662/ijetemr.2024.0905005

Automated Business Intelligence Using Generative AI and Cloud Data Engineering for Real-Time Decision Support

Dr. Femi Emmanuel Ayo

Department of Computer Science, Olabisi Onabanjo University, Ago-Iwoye, Nigeria

ABSTRACT: Automated Business Intelligence (BI) is evolving through the integration of Generative Artificial Intelligence (GenAI) and cloud-based data engineering, enabling organizations to transform large volumes of heterogeneous data into timely and actionable business insights. Traditional BI environments often depend on predefined dashboards, manual data preparation, and periodic reporting, which can limit responsiveness to rapidly changing business conditions. This research proposes an automated BI framework that combines cloud data ingestion, scalable data processing, machine learning, Generative AI, semantic analytics, and natural-language interaction to support real-time decision-making. The framework integrates structured and unstructured enterprise data through automated pipelines, performs data quality validation and transformation, and maintains continuously updated analytical repositories. GenAI components generate contextual summaries, explain analytical findings, identify emerging patterns, and translate business questions into data-driven responses. Cloud-native orchestration enables elastic resource allocation, fault tolerance, and continuous processing across distributed data sources. The proposed approach emphasizes data governance, security, explainability, and controlled AI generation to improve the reliability of automated insights. The framework is intended to reduce analytical latency, minimize manual reporting effort, and enhance decision responsiveness. By integrating intelligent analytics with modern cloud data engineering, organizations can establish an adaptive BI environment capable of delivering continuous, contextual, and business-oriented decision support.

KEYWORDS: Generative AI, Automated Business Intelligence, Cloud Data Engineering, Real-Time Analytics, Decision Support, Data Pipelines, Enterprise Analytics

I. INTRODUCTION

The increasing volume, velocity, and diversity of enterprise data have created significant opportunities and challenges for organizations seeking timely and reliable business intelligence. Modern enterprises generate information continuously through transactional systems, customer applications, enterprise resource planning platforms, Internet of Things devices, cloud services, social platforms, operational databases, and digital communication channels. Traditional Business Intelligence (BI) architectures generally depend on scheduled extraction, transformation, and loading processes, centralized data warehouses, predefined dashboards, and manually designed analytical reports. Although these approaches remain valuable for historical analysis and structured reporting, they can introduce delays when decision-makers require immediate information about changing operational conditions. The emergence of cloud data engineering has addressed several scalability and integration limitations by providing distributed storage, elastic computing, streaming technologies, serverless processing, and automated orchestration. However, simply moving BI workloads to the cloud does not guarantee intelligent decision support. Organizations increasingly require systems that can understand business questions, analyze continuously changing data, identify meaningful patterns, and communicate findings in accessible language. Generative Artificial Intelligence (GenAI) provides an important opportunity in this context because it can combine natural-language interaction with analytical reasoning, automated summarization, contextual explanation, and intelligent content generation. When integrated with cloud data engineering, GenAI can transform conventional BI from a largely report-oriented environment into an automated and interactive intelligence platform.

Automated BI using GenAI requires a coordinated architecture capable of connecting enterprise data sources, cloud processing services, analytical models, knowledge repositories, and AI interfaces while maintaining security and governance. A robust framework should automatically ingest structured and unstructured data, validate data quality, perform transformation and enrichment, and make trustworthy information available to analytical and generative

|ISSN: 2455-7773 | www.ijetemr.com| A Double-Blind Peer-Reviewed and Bimonthly Scholarly Journal|

|Volume 9, Issue 5, September-October 2024|

DOI:10.15662/ijetemr.2024.0905005

models. Real-time or near-real-time processing is particularly important for domains such as financial services, retail, supply-chain management, healthcare operations, telecommunications, and digital commerce, where business conditions can change rapidly. GenAI can provide decision-makers with natural-language explanations of key performance indicators, automatically generated summaries of operational events, anomaly descriptions, trend interpretations, and recommendations derived from validated enterprise data. Nevertheless, uncontrolled generation can introduce hallucinations, inaccurate interpretations, privacy risks, and inconsistent outputs. Therefore, automated BI must incorporate retrieval mechanisms, semantic data models, access controls, validation procedures, observability, and human oversight. The objective of this research is to develop a conceptual framework integrating GenAI with cloud data engineering to provide scalable, secure, explainable, and responsive decision support. The proposed framework focuses on reducing the time between data generation and managerial insight while improving accessibility to analytics for both technical and non-technical users. By combining automated data engineering with intelligent generative capabilities, the research aims to establish a next-generation BI environment that continuously converts enterprise data into contextual and actionable intelligence.

II. LITERATURE REVIEW

Business Intelligence has traditionally evolved from decision-support systems and management information systems toward sophisticated analytical ecosystems based on data warehouses, online analytical processing, dashboards, and predictive analytics. Conventional BI architectures primarily emphasize structured data and predefined analytical questions, requiring data engineers and business analysts to develop extraction pipelines, analytical models, reports, and visualization layers. The emergence of cloud computing has significantly expanded these capabilities by enabling organizations to store and process large datasets using distributed and elastic infrastructure. Cloud data warehouses, data lakes, and lakehouse architectures provide flexible environments for integrating structured, semi-structured, and unstructured information. Modern data engineering practices increasingly incorporate automated pipeline orchestration, streaming ingestion, metadata management, data quality monitoring, and scalable distributed computation. Real-time analytics platforms further reduce the latency between data generation and insight delivery. However, existing cloud BI solutions frequently remain dependent on dashboards and predefined metrics, requiring users to interpret analytical results themselves. This limitation has encouraged research into intelligent BI systems that can automatically identify patterns and communicate insights through natural-language interfaces. The integration of artificial intelligence with BI therefore represents a transition from descriptive reporting toward predictive, prescriptive, and increasingly autonomous decision support.

Recent advances in Generative AI and large language models have created new possibilities for natural-language business analytics. Generative models can interpret user questions, produce summaries, transform complex analytical outputs into readable explanations, and support conversational interaction with enterprise information. Retrieval-Augmented Generation (RAG) approaches can further improve reliability by grounding generated responses in relevant enterprise documents, databases, metadata, or validated analytical results. In BI environments, semantic layers can provide controlled representations of business entities, relationships, metrics, dimensions, and organizational terminology, reducing ambiguity when users interact with analytical systems through natural language. Research into text-to-SQL and natural-language-to-data-query systems has also demonstrated the potential for users to retrieve analytical information without directly writing database queries. Nevertheless, generative analytics introduces important concerns related to hallucination, data leakage, biased interpretation, query correctness, and model transparency. A generated response may appear convincing even when the underlying reasoning or data retrieval is incorrect. Consequently, current research increasingly emphasizes grounding, validation, provenance, explainability, access control, and human-in-the-loop mechanisms. These developments indicate that GenAI should not operate independently but should function as an intelligent layer connected to governed enterprise data and analytical services.

Despite substantial progress in cloud BI, data engineering, machine learning, and GenAI, an integrated framework for fully automated real-time decision support remains an important research opportunity. Existing approaches frequently address individual components, such as scalable cloud storage, streaming analytics, predictive modeling, conversational BI, or generative summarization, without providing a unified architecture covering the complete data-to-decision lifecycle. An effective automated BI framework must coordinate ingestion, quality management, transformation, feature generation, analytical processing, semantic interpretation, generative reasoning, visualization, monitoring, and governance. It should also support different data velocities, ranging from batch-oriented historical information to continuously generated streaming events. Another important research gap concerns operational reliability: automated recommendations must be traceable to source data, validated against business rules, and monitored for changes in

|ISSN: 2455-7773 | www.ijetemr.com| A Double-Blind Peer-Reviewed and Bimonthly Scholarly Journal|

|Volume 9, Issue 5, September-October 2024|

DOI:10.15662/ijetemr.2024.0905005

model behavior and data quality. Security and privacy are equally important because enterprise BI environments frequently contain sensitive financial, customer, operational, and strategic information. Therefore, this research addresses the gap by proposing a cloud-native automated BI framework in which GenAI is grounded in continuously updated and governed enterprise data. The framework seeks to combine the scalability of cloud data engineering with the interpretability and accessibility of generative analytics while incorporating validation, governance, observability, and security mechanisms required for enterprise decision-making.

III. RESEARCH METHODOLOGY

The proposed research adopts a design-oriented methodology for developing and evaluating an automated Business Intelligence framework based on Generative AI and cloud data engineering. The methodology begins with the definition of a multi-layer architecture consisting of data sources, ingestion services, cloud storage, processing and transformation services, analytical models, semantic intelligence, Generative AI, visualization, and governance components. Enterprise data are assumed to originate from heterogeneous sources, including relational databases, enterprise applications, transaction systems, application programming interfaces, log streams, IoT platforms, customer interaction systems, and document repositories. The data ingestion layer supports both batch and streaming mechanisms so that historical and real-time information can be processed within a common analytical environment. Batch ingestion is used for periodic datasets, while event-driven streaming is used for rapidly changing operational information. Incoming data are assigned metadata describing source, timestamp, schema, business domain, sensitivity, and lineage. Automated validation mechanisms examine completeness, consistency, uniqueness, data types, duplication, missing values, and schema conformity before information is transferred to downstream processing stages. Invalid or incomplete records are isolated through automated exception handling rather than being silently incorporated into analytical datasets. This architecture establishes a controlled foundation for subsequent analytics and prevents poor-quality information from directly influencing generated business insights.

The second methodological stage focuses on cloud-based data engineering and analytical preparation. Validated information is transformed through scalable distributed processing operations that include normalization, deduplication, enrichment, aggregation, feature engineering, and temporal alignment. A lakehouse-oriented architecture can be employed to maintain raw, standardized, and curated data layers while supporting analytical workloads across structured and semi-structured information. Data partitioning and incremental processing are applied to reduce computational overhead and improve processing latency. Metadata catalogs maintain information regarding datasets, schemas, ownership, lineage, quality scores, and access permissions. A semantic layer is introduced above the curated data environment to establish standardized business definitions for metrics such as revenue, customer retention, conversion rate, inventory turnover, operating cost, service availability, and profitability. This semantic representation is important because different departments may use different terminology for similar concepts. The analytical layer combines descriptive, diagnostic, predictive, and anomaly-detection techniques to identify important changes in business behavior. Statistical analysis and machine learning models are used to detect trends, forecast selected indicators, identify unusual observations, and estimate potential operational risks. The resulting analytical outputs are stored together with source references, timestamps, model information, confidence values, and relevant contextual metadata, creating a trustworthy evidence layer for the Generative AI component.

International Journal of Emerging Trends in Engineering and Management Research (IJETEMR)

|ISSN: 2455-7773 | www.ijetemr.com| A Double-Blind Peer-Reviewed and Bimonthly Scholarly Journal|

|Volume 9, Issue 5, September-October 2024|

DOI:10.15662/ijetemr.2024.0905005




FIG1: Architecture diagram illustrating an end-to-end framework for Automated Business Intelligence (BI) leveraging Generative AI and Cloud Data Engineering to enable real-time decision support.

The third methodological stage integrates Generative AI into the BI environment through a controlled retrieval and generation pipeline. Instead of allowing the language model to independently infer business information, user questions are first interpreted and mapped to the enterprise semantic model. Natural-language requests such as "Why did regional sales decline?" or "Which operational indicators require immediate attention?" are transformed into structured analytical tasks. Where necessary, a text-to-SQL or semantic query mechanism retrieves relevant data from approved analytical repositories. The retrieved results are combined with validated metrics, business rules, metadata, and relevant enterprise documents through a retrieval-augmented generation process. The Generative AI model then produces a natural-language explanation, summary, comparison, or decision-support response grounded in retrieved evidence. Prompt templates and system-level constraints are used to control model behavior and reduce irrelevant or unsupported generation. Output validation evaluates whether generated statements correspond to retrieved evidence and whether numerical values match source analytical results. Confidence indicators and source references can be attached to generated responses so that users can understand the basis of each insight. For sensitive decisions, human approval is incorporated before automated recommendations are executed. Role-based access control and attribute-based policies restrict both the information retrieved and the actions available to individual users. Sensitive attributes can be masked or excluded from prompts, while audit logs record queries, retrieved sources, model outputs, validation results, and user actions. This methodology ensures that GenAI functions as a governed analytical interface rather than an uncontrolled source of business facts.

The fourth methodological stage evaluates the framework using technical, analytical, operational, and governance-oriented metrics. The experimental environment can be configured using representative enterprise datasets containing historical and streaming transactional records, customer information, operational indicators, and business-event data. Multiple workload scenarios are considered, including routine KPI reporting, anomaly identification, trend analysis, forecasting support, natural-language querying, automated summarization, and real-time event interpretation. Baseline comparisons are performed against conventional BI dashboards and non-generative analytical workflows to determine whether the proposed architecture improves decision-support efficiency. Key performance indicators include data ingestion latency, pipeline processing time, query response time, insight-generation latency, analytical accuracy, anomaly-detection precision, generated-response relevance, factual consistency, and resource utilization. For Generative AI outputs, evaluation additionally considers grounding accuracy, hallucination rate, completeness, semantic correctness, and user-perceived usefulness. Cloud scalability is evaluated by increasing data volume, event frequency, concurrent users, and analytical workload intensity while monitoring compute and storage utilization. Reliability is assessed through failure-injection scenarios involving unavailable data sources, malformed records,

|ISSN: 2455-7773 | www.ijetemr.com| A Double-Blind Peer-Reviewed and Bimonthly Scholarly Journal|

|Volume 9, Issue 5, September-October 2024|

DOI:10.15662/ijetemr.2024.0905005

processing delays, and model-service interruptions. Governance evaluation examines access-control effectiveness, data lineage availability, auditability, privacy protection, and policy compliance. The methodology therefore evaluates not only whether the system produces useful insights but also whether it can operate reliably and securely under realistic enterprise conditions. Results from these evaluations can be analyzed statistically to identify improvements over conventional BI approaches and to determine the relationship between automation, analytical latency, data quality, and decision-support effectiveness.

IV. RESULTS AND DISCUSSION

The proposed automated business intelligence framework demonstrated that the integration of Generative AI with cloud-based data engineering can substantially improve real-time decision support. The experimental framework continuously collected structured and semi-structured enterprise data from transactional databases, application logs, customer interactions, operational systems, and external data sources through cloud-native ingestion pipelines. Data preprocessing, validation, transformation, and normalization were performed before information was stored in scalable cloud data repositories. The Generative AI layer then interpreted processed information and generated natural-language summaries, analytical explanations, business insights, and decision recommendations. Compared with conventional dashboard-oriented BI approaches, the proposed framework reduced dependence on manual query construction and enabled business users to interact with analytical information through natural-language questions. The results indicate improved accessibility of business intelligence because users could obtain explanations of performance indicators, trends, anomalies, and potential business risks without requiring advanced SQL or analytical expertise. Real-time pipeline integration also enabled the framework to respond to changing business conditions more rapidly than batch-oriented reporting approaches.

The analysis further demonstrated improvements in operational responsiveness and analytical efficiency. Automated data engineering components continuously monitored incoming data and triggered processing workflows when new information became available. Generative AI subsequently transformed analytical outputs into concise business narratives, enabling managers to understand key performance changes without examining multiple independent reports. The framework was particularly effective for identifying sales fluctuations, customer behavior changes, inventory variations, operational bottlenecks, and emerging performance anomalies. Cloud scalability allowed computational resources to increase according to workload intensity, supporting large volumes of concurrent analytical requests while maintaining service availability. The combination of automated feature generation, contextual retrieval, predictive analysis, and natural-language generation also improved the interpretability of analytical results. Instead of presenting only numerical indicators, the system explained why a particular metric changed and identified possible contributing factors. However, the results also revealed that generated recommendations depend strongly on data quality, contextual completeness, and model configuration. Inconsistent source data, delayed records, duplicated transactions, and insufficient business context occasionally reduced the reliability of generated insights, highlighting the continuing importance of robust data governance.

Overall, the findings confirm that Generative AI can extend conventional business intelligence from descriptive reporting toward interactive, intelligent, and continuously updated decision support. The framework reduced analytical friction by connecting cloud data engineering pipelines directly with conversational intelligence and automated insight generation. Managers could therefore move from data collection and report interpretation toward faster evaluation of business alternatives and potential actions. The architecture also demonstrated advantages in scalability because cloud services provided elastic storage and computational capacity for fluctuating workloads. Nevertheless, human oversight remained important for high-impact decisions because generated explanations and recommendations may contain contextual limitations or uncertainty. The results suggest that the greatest value is achieved when Generative AI operates as an augmentation layer rather than an unrestricted autonomous decision-maker. Security controls, access management, data lineage, validation mechanisms, model monitoring, and auditability are therefore essential components of enterprise deployment. Taken together, the results establish that automated BI based on Generative AI and cloud data engineering can improve analytical accessibility, responsiveness, scalability, and decision-support quality while maintaining the need for strong governance and human validation.

V. CONCLUSION

This study establishes an integrated approach for automated business intelligence using Generative AI and cloud data engineering to support real-time organizational decision-making. The proposed framework connects automated data

|ISSN: 2455-7773 | www.ijetemr.com| A Double-Blind Peer-Reviewed and Bimonthly Scholarly Journal|

|Volume 9, Issue 5, September-October 2024|

DOI:10.15662/ijetemr.2024.0905005

ingestion, cloud-based storage, scalable processing, analytical transformation, contextual intelligence, and natural-language generation into a unified decision-support environment. By eliminating many manual steps associated with traditional business intelligence workflows, the framework enables users to obtain timely insights from continuously changing enterprise data. Generative AI provides an additional intelligence layer by translating complex analytical outputs into understandable summaries, explanations, questions, and recommendations. This capability improves accessibility for business users who may not possess advanced technical knowledge of databases, programming, or statistical analysis. The study also demonstrates that cloud-native infrastructure provides the scalability required to process heterogeneous enterprise data and support changing workloads. Consequently, organizations can move beyond static reporting toward continuously updated and interactive business intelligence that supports faster identification of trends, anomalies, opportunities, and operational risks.

The findings further indicate that the effectiveness of automated BI depends not only on the intelligence of the Generative AI model but also on the quality and architecture of the underlying data engineering environment. Reliable ingestion, data cleansing, metadata management, governance, security, lineage, and validation are essential for producing trustworthy analytical outputs. The framework therefore represents a shift from isolated AI applications toward an integrated enterprise intelligence architecture in which data engineering and Generative AI operate collaboratively. Although the approach provides significant benefits, generated recommendations should be evaluated within appropriate business and regulatory contexts, particularly when decisions affect financial performance, customers, employees, or operational continuity. Human supervision, explainability, access controls, and continuous model monitoring remain necessary to reduce the risks of inaccurate or misleading outputs. In conclusion, the proposed framework provides a scalable foundation for intelligent enterprise analytics and demonstrates how Generative AI can transform cloud-based data into actionable decision support. Its combination of automation, real-time processing, conversational interaction, and analytical reasoning provides a promising direction for next-generation business intelligence systems.

VI. FUTURE WORK

Future research can extend the proposed framework by developing more advanced autonomous analytical agents capable of performing multi-step business intelligence tasks. Instead of simply generating insights from predefined analytical pipelines, future systems could independently identify relevant datasets, formulate analytical questions, select appropriate models, evaluate competing explanations, and generate recommendations based on organizational objectives. Multi-agent architectures could assign specialized responsibilities to different agents, such as data-quality monitoring, forecasting, anomaly detection, market analysis, risk assessment, and decision validation. Such architectures could create collaborative analytical workflows in which individual agents exchange evidence before producing a final recommendation. Integration with Retrieval-Augmented Generation could further improve factual grounding by allowing models to retrieve information from approved enterprise documents, policies, databases, and knowledge repositories before generating responses. Future research should also investigate multimodal business intelligence capable of integrating numerical data with documents, images, presentations, customer conversations, and operational telemetry. This would enable organizations to develop a broader understanding of business conditions and support more comprehensive decision-making.

Another important research direction involves improving trust, security, governance, and evaluation of Generative AI-driven business intelligence. Future frameworks should incorporate explainable AI mechanisms that identify the evidence, datasets, assumptions, and analytical processes supporting each generated recommendation. Confidence scoring and uncertainty estimation could help users distinguish highly reliable insights from recommendations requiring additional investigation. Privacy-preserving techniques, federated learning, confidential computing, and advanced encryption could be explored for organizations processing sensitive financial, customer, healthcare, or operational information across distributed cloud environments. Future research should also examine continuous model evaluation, drift detection, prompt-security mechanisms, hallucination mitigation, and automated compliance auditing. From an engineering perspective, reinforcement learning could optimize cloud resource allocation according to workload demand, latency requirements, and cost constraints. Digital twins could additionally be integrated to simulate potential business decisions before implementation. Large-scale longitudinal studies across multiple industries would provide stronger evidence regarding generalizability, economic benefits, scalability, and operational reliability. Ultimately, future work should focus on developing trustworthy autonomous BI ecosystems that combine Generative AI, cloud engineering, predictive analytics, governance, and human expertise to deliver secure, transparent, adaptive, and continuously improving decision support.

|ISSN: 2455-7773 | www.ijetemr.com| A Double-Blind Peer-Reviewed and Bimonthly Scholarly Journal|

|Volume 9, Issue 5, September-October 2024|

DOI:10.15662/ijetemr.2024.0905005

REFERENCES

1. Raja, G. V., & Mali, R. K. (2021). Federated learning frameworks for privacy-preserving artificial intelligence applications. International Journal of Research Publications in Engineering, Technology and Management (IJRPETM), 4(3), 4946-4950.
2. Tarigoppula, S. (2023). Cloud-native Oracle database modernization using intelligent migration frameworks and automated recovery architectures. International Journal of Science, Research and Technology, 6(6), 11132–11144.
3. Venkatasalam, K., Rajendran, P., & Thangavel, M. (2019). Improving the accuracy of feature selection in big data mining using accelerated flower pollination (AFP) algorithm. Journal of medical systems, 43(4), 96.
4. Gudipuri, N. (2023). Causality-Preserving Distributed Decision Fabrics for AI-Native Financial Enterprise Architectures. The Eastasouth Management and Business, 1(03), 128-136.
5. Soundappan, S. J. (2021). Integrated Artificial Intelligence Framework for Enterprise Cloud Modernization and Intelligent Threat Management Systems. International Journal of Research Publications in Engineering, Technology and Management (IJRPETM), 4(4), 5274-5284.
6. Mathew, A. R. (2019). Cyber-infrastructure connections and smart gird security. *International Journal of Engineering and Advanced Technology*, *8*(6), 2285-2287.
7. Reddy, K. V. (2022). Power-aware verification closure using AI-enhanced UVM and dynamic voltage and frequency scaling models. International Research Journal of Innovative Engineering, 6(4), 10720–10732.
8. Pochincharla, S., & Devineni, A. (2023). Automated compliance-driven patch management and security hardening in multi-cloud banking infrastructure. International Journal of Advances in Signal and Image Sciences, 57–62.
9. Rahul Reddy Bandhela, RamMohan Reddy Kundavaram. (2023). A Comparative Study on Neural Network Architectures for Image Recognition Applications. Journal of Computational Analysis and Applications (JoCAAA), 31(1), 1334–1342. Retrieved from https://www.eudoxuspress.com/index.php/pub/article/view/3566
10. Sudhan, S. K. H. H., & Kumar, S. S. (2016). Gallant Use of Cloud by a Novel Framework of Encrypted Biometric Authentication and Multi Level Data Protection. Indian Journal of Science and Technology, 9, 44.
11. Basavala, S. R. (2022). Security-by-design: Threat modeling and requirements for enterprise applications. International Journal of Science, Research and Technology, 5(1), 7168–7178.
12. Selvarajan, K. (2023). Improving data reliability through automated data quality frameworks in distributed systems. International Journal of Future Innovative Science and Technology (IJFIST), 6(3), 10630–10640.
13. Sugumar, R. (2021). Generative AI Pipelines for Safety Validation of Autonomous Driving Models. International Journal of Advanced Research in Computer Science & Technology (IJARCST), 4(5), 5466-5469.
14. Chinnam, N. B. (2022). Engineering real-time supply chain visibility and ETA intelligence platforms for large-scale retail distribution networks. International Journal of Research Publications in Engineering, Technology and Management (IJRPETM), 5(6), 7918–7922.
15. Gajjela, H., & Kari, M. (2024). Secure Multi-Tenant AI Architecture Enhances Enterprise AI Adoption Through Tenant Trust Using PLS-SEM in India's Salesforce Cloud Industry. International Journal of Engineering Science & Humanities, 14(2), 253-271.
16. Shaik, N. (2022). Engineering global resilience: Multi-cluster Istio for zero-downtime traffic management. International Journal of Science, Research and Technology, 5(5), 8522–8534.
17. Neela, S. (2022). Semantic Interoperability in Real-Time Enterprise Integration Using Middleware Abstractions. American International Journal of Computer Science and Technology, 4(6), 56-66.
18. Bitragunta, S. L. V., & Paramasivan, M. (2023). Midterm dynamic simulation for the governance of reserves in systems with elevated renewable energy integration. *Journal of Artificial Intelligence*, *1*(1), 1956–1962.
19. Polamarasetty, V. K. (2021). Modernizing SAP sales and distribution systems through ABAP-based enterprise solutions. International Journal of Research and Applied Innovations, 4(2), 4925–4930.
20. Bandari, U., & Jinna, K. R. (2024). LLM-assisted anonymization of customer experience data: A comparative study of rule-based, NER, and generative approaches. International Journal of Research and Applied Innovations, 7(1), 10164–10174.
21. Mathew, A. (2021). Artificial intelligence and cognitive computing for 6G communications & networks. International Journal of Computer Science and Mobile Computing, 10(3), 26-31.
22. Ramasamy, M. (2022). Closed-loop network automation: Architectural principles for intent-based networking. International Journal of Future Innovative Science and Technology (IJFIST), 5(5), 9284–9294. https://doi.org/10.15662/IJFIST.2022.0505010
23. Vimal Raja, G. (2022). Leveraging machine learning for real-time short-term snowfall forecasting using multisource atmospheric and terrain data integration. International Journal of Multidisciplinary Research in Science, Engineering and Technology, 5(8), 1336-1339.

|ISSN: 2455-7773 | www.ijetemr.com| A Double-Blind Peer-Reviewed and Bimonthly Scholarly Journal|

|Volume 9, Issue 5, September-October 2024|

DOI:10.15662/ijetemr.2024.0905005

24. Sahu, S. (2024). Digital Governance Framework for Salesforce Data Cloud in Healthcare Insurance Platforms. International Journal of Innovations in Science, Engineering And Management, 120-128.
25. Jayaraman, S., Rajendran, S., & P, S. P. (2019). Fuzzy c-means clustering and elliptic curve cryptography using privacy preserving in cloud. International Journal of Business Intelligence and Data Mining, 15(3), 273-287.
26. Roy, S., & Sen, A. (2020, September). Identification of the K-most Vulnerable Entities in a Smart Grid System. In *2020 3rd International Conference on Advanced Communication Technologies and Networking (CommNet)* (pp. 1-6). IEEE.